

SUBJECT INDEX

A

- Abate, 415
- Acerartagallia sanguinolenta*, 515, 520
- Acetylcholine, 80-81, 85, 88, 91, 103
- Acheta domesticus*, 105, 108
- Acoustic
 - sounding and remote sensing, 255
 - strategies of *Nezara viridula*, 282
- Acquisition of plant viruses, 507, 515, 517
- Acrosternum hilare*, 280
- Action potential, 79, 81
- Acyrtosiphon pisum*, 535
- Adaptation and learning, 317-18
- Aedeomyia*, 403
- Aedes*
 - aegypti*, 402-3, 406, 409-15, 484
 - albopictus*, 404
 - atropalpus*, 407-9
 - caspius*, 409
 - solicitans*, 407
 - taeniorhynchus*, 403, 407
 - togoi*, 408-9, 413
 - triseriatus*, 403, 406-8, 415
 - vexans*, 404-5, 407
- Aerial
 - photography, 248-50, 259
 - videography, 250
- Afroxylocopa*, 173
- Agallia constricta*, 515-17, 519-20
- Agalliposis novella*, 519-20
- Agasicles hygrophila*, 543
- Agelenopsis*, 236
- Aggregation by *Nezara viridula*, 275, 279-80
- Agrilus hyperici*, 546
- Agrotis munda*, 257
- Air pollution and herbivory, 541
- Aldicarb, 59, 298, 459, 465, 468, 470
- Aldrin, 455
- Aleochara*
 - bilineata*, 127
 - bipustulata*, 127
- Aleurocanthus woglumi*, 261
- Allelochemicals and *Heliothis*, 21
- Allethrin, 77-96
- Alloeorhynchus*, 392

- Altica carduorum*, 546
- Amblyopone*, 194
 - pallipes*, 203
- Amidation, 362
- γ -Aminobutyric acid, 103
 - receptor complex, 78, 80, 86-91
- Anaphes oviventatus*, 390
- Anaptus major*, 387-88, 390
- Andricus quercuscalicis*, 534
- Anesthesia by carbon dioxide, 98, 102-10
- Anopheles*, 403
 - albimanus*, 413
 - gambiae*, 352, 407
 - stephensi*, 408, 415
- Anopheline resistance, 298
- Antennal receptor cells, 483
- Antheraea*, 480
 - pernyi*, 489
 - polyphemus*, 478, 489
- Anthonomus grandis*, 60, 262, 285
- Anthrax, 172-73
- Anticarsia gemmatilis*, 280
- Antigens and scabies, 153-56
- Ants
 - and carbon dioxide, 99-100
 - and carpenter bees, 169, 171
 - and competition, 427
 - and deutocerebrum, 478
 - and foraging strategies, 191-210
 - and guilds, 432
 - and learning, 330
 - and *Nezara viridula*, 275, 283-84
 - and plant dynamics, 536-37, 555
 - and remote sensing, 248
 - and weed control, 548
- Apanteles*
 - See *Cotesia*
- Aphaereta pallipes*, 127-28, 131
- Aphanotus brevicornis*, 172
- Aphids, 218-19
 - and Brassica crops, 213
 - and fungi, 391
 - and insecticides, 461
 - and Nabidae, 392
 - and oilseed crops, 221
 - and plant dynamics, 534-35, 541, 549, 552, 554-55
 - and plant viruses, 505-7, 511, 513, 515-16, 522
 - and remote sensing, 258, 261

- Apion*
 - brunneonigrum*, 546
 - ulicis*, 548
- Apis mellifera*, 105, 482, 484, 491
 - and remote sensing, 258
- Apparency, 342
- Apple maggot flies, 318, 323, 338, 340
- Aptus mirmicoides*, 385, 389
- Arachnocoris albomaculatus*, 393
- Archlagocheirus funestus*, 546
- Archytas marmoratus*, 56, 62-63
- Armyworm, 217-19, 257
 - and remote sensing, 263
- Associative learning, 321-26
- Atalanticus testaceus*, 551
- Athalia proxima*, 214
- Athesapeuta cyperi*, 546
- Athrycia cinerea*, 389
- ATP and pyrethroids, 88-89, 91
- Atrytonopsis*
 - edwardsi*, 237
 - ovinia*, 237
- Atta*, 199
 - cephalotes*, 195
- Attagenus*, 172
- Attraction by carbon dioxide, 97, 99-100, 105
- Autochthon*, 238
- Autographa californica*, 352
- Aversion learning, 325-26, 328, 334, 339

B

- Bacillus thuringiensis*, 57, 64-66, 69, 373-76
 - endotoxin, 374, 376-80
- Bactra*
 - minima*, 546
 - venosana*, 546
- Baculovirus
 - genomes, 353-54
- Bagrada cruciferarum*, 214
- Bark beetles, 533, 542
- Battus*, 319-20, 324, 329, 331, 336, 338
 - philenor*, 335
- Beauveria brassiana*, 57
- Bees
 - and carbon dioxide, 97, 99, 102, 105-7
 - and deutocerebrum, 478

566 SUBJECT INDEX

- and learning, 321, 324, 329-32, 336, 338-39
- and memory, 495
- neurons of, 484
- Behavior**
 - and carbon dioxide, 105
 - of *Nezara viridula*, 273-92
- Bemisia tabaci*, 261, 512
- Biodegradation of insecticides, 453-76
- Biological control**
 - of *Delia*, 125-30, 132
 - of *Heliothis*, 53-75
 - of *Nezara viridula*, 283-84
 - and vedalia beetles, 1-16
 - of weeds, 532-33, 536, 543-50, 555
- Bionomics**
 - of Nabidae, 383-400
 - of *Nezara viridula*, 275
- Blattella germanica*, 106
- Blissus*, 394
 - leucopterus*, 457
- Boll weevil, 60
 - and remote sensing, 262
- Bollworm, 257
- Bombykol, 489-90, 492-94
- Bombyx*, 235, 480
 - mori*, 104, 237, 352, 356, 360, 362, 478, 489-90
- Brachyterolus pulicarius*, 543
- Brachyptery in Nabidae, 386-87
- Bracon brevicornis*, 56, 69
- Brassica* entomology, 211-29
- Brevicoryne brassicae*, 214, 219
 - vectors, 351-72
- C**
 - Cabbage maggot, 117-18, 461
 - Cactoblastis cactorum*, 543-55
 - Calliphora erythrocephala*, 479
 - Callosobruchus*, 319
 - Campolepis**
 - chlorideae*, 56, 66
 - marginiventris*, 66
 - sonorensis*, 62, 64
 - Cannibalism**
 - and carbon dioxide, 105
 - by Nabidae, 390
 - Canola entomology, 223
 - Carausius*, 320, 330
 - carosus*, 80
 - Carbamates, 6
 - biodegradation of, 454-60
 - Carbaryl, 459, 465, 469
 - Carbofuran, 455-61, 465-67, 469-71
 - Carbon dioxide**
 - and deuterocerebrum, 488
 - effects of, 97-116
 - and mosquitoes, 402
 - receptors, 480
 - and scabies, 145
 - and sensilla, 485
 - Carcelia*
 - illota*, 56
 - noctuae*, 56
 - Cardiophiles*, 57
 - nigriceps*, 54, 62
 - Carpenter bees, 163-190
 - Carvariella pastinacae*, 535
 - Caste**
 - evolution, 193
 - polymorphism of ants, 195-97
 - Cataglyphis*, 192, 205
 - albicans*, 194
 - bicolor*, 193-94, 200, 202, 205
 - Cecropin, 362
 - Ceratitis*, 320-21
 - capitata*, 107, 334
 - Ceutorhynchus*
 - assimilis*, 214, 217-18, 221
 - litura*, 546
 - quadridens*, 130, 214
 - Chaetophyes*, 172
 - Chamaesphelia*
 - empiformis*, 547
 - tenthrediniformis*, 547
 - Chaoborus flavicans*, 256
 - Chelaner*, 204
 - Chelinidea vittiger*, 546
 - Chelonus*
 - blackburni*, 66
 - inanutus*, 56
 - Chemical ecology of mosquitoes, 401-21
 - Chemoreceptors of mosquitoes, 402
 - Chinch bugs, 457-59
 - Chlordimeform, 59, 298, 302
 - Chlorinated cyclodienes, 455
 - Chordotonal organs, 479
 - Choristoneura fumiferana*, 257, 259
 - Chorioicetes terminifera*, 258, 262
 - Chortophila*
 - See *Delia*
 - Chromosomes of Nabidae, 385
 - Chrysolina*
 - hyperici*, 543
 - quadrigemina*, 543
 - varians*, 546
 - Chrysopa*, 4, 57, 61
 - carnea*, 62-64
 - musulana*, 69
 - sinica*, 56
 - Cicadulina*
 - chinai*, 517
 - mbila*, 514
 - Circulative plant viruses, 504-5, 512-14
 - Circulifer*, 514
 - Cismethrin, 83-84
 - Cissites*, 172
 - Cladistics, 384
 - Classification of Nabidae, 384
 - Coccinellids, 1-16
 - Coccus hesperidum*, 261
 - Cochliomyia hominivorax*, 255, 263
 - Cockroaches and carbon dioxide, 106-7
 - Coelopencyrus*, 172-74
 - Coevolution and learning, 342-43
 - Coleomegilla maculata*, 57, 63
 - Colias*, 319, 327, 331
 - Collops*, 57, 59
 - Color morphs of *Nezara viridula*, 274
 - Colorado potato beetle, 392
 - Communities and guilds, 428
 - Community organization and ants, 194
 - Competition**
 - and ants, 194-95, 198-200, 205
 - and guilds, 427
 - and sociality, 181, 183
 - Conditioning and learning, 323-25
 - Coquillettidea*, 403
 - Corn rootworm, 302, 455-56, 459, 461-63, 466, 469-71
 - Corpora allata, 108
 - Corpora cardiaca, 80
 - Cotesia*, 56
 - kazak*, 57, 66, 69
 - marginiventris*, 56, 63
 - Cottoncushion scale, 1-16
 - Cross resistance, 295, 455
 - Cryptochetum iceryae*, 4, 6-8
 - Culex*, 403
 - nigripalpus*, 402, 404
 - pipiens*, 409-13
 - quinquefasciatus*, 414-15
 - restuans*, 407, 411
 - salinarius*, 409
 - tarsalis*, 410, 414
 - tritaeniorhynchus*, 408
 - Culiseta*, 403
 - inornata*, 409, 413
 - melanura*, 402
 - Cultural control**
 - of *Delia*, 119-22
 - of *Heliothis*, 40
 - Curculio glandium*, 537, 540
 - Cyclodiene insecticides, 455
 - Cyhexatin, 298
 - Cypermethrin, 78, 84-85, 89, 415
 - Cyphenothrin, 82
 - Cyrtobagous*
 - salviniae*, 549
 - singularis*, 546

D

- Dactylopius*
ceylonicus, 543-44
opuntiae, 543
Dacus, 320
tryoni, 334
Dalbulus
climatus, 517, 520
maidis, 515
Damsel bugs, 383-400
Danaus plexippus, 262
Dasineura brassicae, 214, 217, 221
Datana integerrima, 261
DDT, 60, 78, 81-85, 91, 128, 295, 299
Defensive secretion of *Nezara viridula*, 282-83
Defoliation and herbivory, 538-41
Deinocerites, 403
cancer, 402
Delia, 216
antiqua, 117-20, 125-27, 129, 131
coarctata, 117
floralis, 117, 121, 125
florilega, 117-18, 124
platyura, 117-18, 121, 124
radicum, 117-30, 213-14, 457
seneciella, 546
Deloyala, 319, 337
Delta endotoxin, 373-74
Deltamethrin, 78, 80-81, 83-88
Dendroctonus, 259
ponderosae, 260
Depressaria pastinacella, 534
Deraeocoris signatus, 56
Dermatophagoides farinae, 154-56
Deutocerebrum, 477-501
Development and carbon dioxide, 106
Diabrotica
barberi, 455-56
virgifera, 455-56, 464
Diacrisia
obliqua, 214
virginica, 326
Diapause
and carbon dioxide, 106
of *Heliothis*, 21, 24-29, 33, 55
of *Nezara viridula*, 276
Diastema tigris, 546
Diazinon, 460-64, 471
Dinogamasus, 172
Diseases and mosquitoes, 404
Dispersion of *Nezara viridula*, 280
Distribution of *Heliothis*, 54-55

- DNA, 351-67
and biodegradation, 466
of plant viruses, 512-13
Dorylus, 57
Drosophila, 103, 319-20, 336, 341
immigrans, 109
and learning, 318
melanogaster, 105, 108-9, 352, 366, 495
Dufour's glands, 178-81
Dung beetles, 437
Dursban, 415

E

- Eciton*
burchelli, 195-97, 201
hamatum, 196
Ecological
implication of guilds, 426
significance of learning, 315-50
Ecology of *Nezara viridula*, 273-92
Economics of pesticide resistance, 295
Ecosystem analyses, 327-28, 439-40
Egg
hatching, 411
maturation, 402, 404
rafts and oviposition, 409-10
Elachipteron, 389
Empoasca
fabae, 299
devastans, 105
Encephalitis virus, 109
Energetics and ants, 195-99
Entomophthora, 57
muscae, 125, 131
Entomoscelis americana, 214-15, 217, 222
Ephesia cautella, 105
Epidemiology of *Sarcoptes scabiei*, 139-61
Eriborus, 56
Erigonidium graminicola, 56
Erynnis
baptisiae, 238
brizo, 238
horatius, 238
lucilius, 238
meridianus, 238
propertius, 238
tristis, 238
Estigmene congrua, 326
Ethioprop, 462-63
Eucelatoria bryani, 57, 62, 64, 66
Eurytoma attiva, 543

- Euscelis*, 236
plebejus, 237
Euschistus, 280
Euura lasiolepis, 534
Evolution
and guilds, 429
of foraging systems, 192-97
of learning, 315-50
of plant viruses, 520-23
Evolutionary biology, 231-45
Expression of foreign genes, 351-372

F

- Fat body, 364
Fatty acids and mosquitoes, 414
Fecundity
of *Heliothis*, 29
of *Nezara viridula*, 276
Feeding and learning, 315-50
Fenpropathrin, 81
Fensulfothion, 461
Fenvalerate, 60, 78, 81, 83, 85, 415
Fitch, Asa, 2
Fitness and learning, 337-38, 342
Flea beetles, 213, 215, 217, 221
Flies and carbon dioxide, 100, 105
Flight
of carpenter bees, 170
of *Heliothis*, 22-24, 44
of mosquitoes, 403
muscles and carbon dioxide, 105
of Nabidae, 385-86
and *Nezara viridula*, 275-76
and remote sensing, 256-58
Food
acquisition and learning, 319-20
selection by ants, 197-90
Foraging strategies of ants, 191-210
Foregut-borne plant viruses, 504, 507-13
Formica
pratensis, 484
schaufussi, 196-98, 201-2, 205
subnuda, 199
Fruitflies and remote sensing, 262
Fumigation and carbon dioxide, 98
Fungi
and *Delia*, 125
and Nabidae, 390

- Fungicides and biodegradation, 468-49
 Fusion proteins, 359
- G**
- Gasteruption*, 172
Gastrophysa viridula, 542
 Geminiviruses, 512-14
 Gene splicing, 364
 Genes and baculovirus vectors, 351-72
 Genetic
 engineering, 69, 373-81
 selection for resistance, 296
 tracking, 335
 variability, 12-13
 Genetics and learning, 334-37, 340-42
 Genitalia and biosystematics, 231-45
Geocoris, 57-58, 69, 389, 392
 punctipes, 62-63, 391
Giraultella lopezi, 172
Glossina, 106
 Glucosinolates, 211-12, 218-19, 223
 Glycosylation of peptides, 360-62
Gonia bimaculata, 57
Graminella nigrifrons, 507, 510, 512
 Granulosis viruses, 353
 Greenbugs, 457-60
 Growth regulators, 295
Gryllus campestris, 106
 Guilds, 423-51
 and herbivory, 535
Gymnaetron antirrhini, 543
 Gypsy moth, 13, 259-60, 542
- H**
- Habituation and learning, 321-23, 328
Haltica, 319
 Heartbeat and carbon dioxide, 104
Heliconius, 319-20, 330, 342
Helicoverpa
 See *Heliothis*
Heliodines nyctaginella, 535
Heliothis, 17-75, 296, 298
 armigera, 17-75, 257, 297
 assulta, 17, 55
 fletcheri, 27-28, 55
 gelatopoeon, 54-55
 nubigera, 55
 peltigera, 17, 55
 punctigera, 17-52, 55, 257, 392
 virescens, 17-75, 256-57, 295, 375
 viriplaca, 17, 55
 zea, 17-75, 257, 295
 Heptachlor, 455
 Herbicides, biodegradation of, 455, 464-70
 Herbivores and plant population dynamics, 531-64
Heriades, 173
Hesperotettix viridis, 534, 542
Heteropelma scaposum, 56
Himacerus
 apterus, 385, 391, 393
 mirmicoides, 385
Hippodamia convergens, 10, 57, 59
Holcaphis, 552
 holci, 534, 554
 Honey bees and remote sensing, 258
 Honeydew and remote sensing, 261
Hoplistoscelis sordidus, 386
Hoplocryptus femoralis, 172-73
Horia, 172
 Hormones and baculovirus vectors, 365-66
Horstia, 172
 Host
 range of *Nezara viridula*, 273-92
 selection
 by *Heliothis*, 20-21
 and learning, 320
 specificity of scabies, 142-44
 Host-plant resistance, 68
 Host-seeking
 and carbon dioxide, 99-100
 by mosquitoes, 402
 House dust mites, 152, 154-56
 Howard, L. O., 8, 10
Huarpea, 172
Hyalomya aldrichii, 389
Hyalophora cecropia, 362
Hylaeus, 170
Hylemya, see *Delia*
Hyles euphorbiae, 547
Hypena strigata, 543
Hyperichia, 172-73
Hyphantria
 apterus, 392
 curea, 392
Hyposoter didymator, 57, 66
- I**
- Icerya purchasi*, 1-16
 Immune response to scabies, 155-56
 Immunoelectrophoresis, 154
 Importation of vedalia beetle, 1-16
 Imprinting, 317, 330
 Inclusion bodies, 353
 Induction of preference, 326-27
 Inoculation of plant viruses, 507, 516
 Insect growth regulators, 411-12
 Insecticide
 exclusion and plant dynamics, 550-54
 resistance, 42-43, 455
 Insecticides
 biodegradation of, 453-76
 and *Delia*, 128-30
 and *Heliothis*, 42
 and mosquito oviposition, 415
 Integrated pest management, 53
 and resistance, 303
 Intercropping, 121-22
 Interferon, 360, 364, 367
 Interleukin, 361, 365
 Interspecific competition, 417
 Isofenphos, 461
 Isothiocyanates, 218
- J**
- Jalysus spinosus*, 62
Javesella
 dubia, 518
 pellucida, 518, 522
 Juvenile hormone, 102, 108
- K**
- Kadethrin, 83
 Kairomonones, 322
 Kin selection, 184
 Koebele, Albert, 4, 8, 10
Koptortosoma, 173
- L**
- Lambdina fiscellaria*, 259
Laodelphax striatellus, 520
Lasioglossum, 318
Lasius
 neoniger, 196, 199-200
 pallitarsus, 199
 Latent period for plant viruses, 505, 514-15, 517, 519
 Leafhoppers
 and plant dynamics, 551
 and plant viruses, 503-30
 and remote sensing, 258
 Learning, 315-50
 in ants, 204-5
 and carbon dioxide, 106
Lema cyanella, 546
Leptinotarsa, 320
 decehlineata, 299
Leptobyssa decora, 546
Leptogenys, 192
Leucospis, 172-73
Leucostoma simplex, 389
 Life tables, 29, 31

Light traps, 24, 30, 386
 Lindane, 107
Lipaphis erysimi, 214
 Lipid uptake, 363
 Lipoproteins, 363
Liriomyza, 337
Listronotus oregonensis, 457
 Lock-and-key hypothesis, 231-45
Locusta, 323
 migratoria, 80, 105-8, 479, 484
 Locusts and remote sensing, 256-58, 262
Longitarsus jacobaeae, 546
Lygus, 213, 215, 219, 390, 392, 537
 elusus, 214
 lineolaris, 214, 219
Lymantria dispar, 258-59

M

Magicicada septendecim, 539
 Maize chlorotic dwarf viruses, 507-13
Malacosoma
 americanum, 319
 disstria, 260
 Malaria control, 298
 Malathion, 131, 415
Mamestra configurata, 213-14, 216, 219, 221-22
 Management of *Heliothis*, 40-43, 53
Manduca, 319
 sexta, 62, 374-75, 478-79, 483-89, 492-93
Mansonia, 403
Mansonioides, 403
 Marafiviruses, 514-15
 Mating
 of carpenter bees, 164, 174-76
 of *Heliothis*, 22-23
 and learning, 318, 340
 of mosquitoes, 404
 of *Nezara viridula*, 281
 Mealybugs, 10, 261
Mecomma dispar, 387
 Mediterranean fruit fly, 337
Melanoplus, 319-20
Meligethes, 217-18
 aeneus, 214, 221
Meliara
 doddalisi, 546
 prodenialis, 546
 Membranes and carbon dioxide, 103
 Memory, 330-33
 and carbon dioxide, 106
Mesotrichia, 173

Metabolism and carbon dioxide, 108
Metarhizium anisopliae, 57
Metaseiulus occidentalis, 296
 Methomyl, 59
Metrogaleruca obscura, 543
 Microbial agents
 and *Delia*
 and *Heliothis*, 57
Microlarunus lareynii, 543
 lypriformis, 543
 Microorganisms and biodegradation, 453-73
Microplitis, 32
 croceipes, 56, 59-60, 63-64, 69
 demolitor, 66
 rufiventris, 56
Micruralis malifera, 513
 Migration
 of *Heliothis*, 21-25
 and remote sensing, 257
 Mirid bugs, 534-35, 538-39
Misumenops tricuspidatus, 56
 Mites
 and carpenter bees, 173
 and guilds, 439
 and Nabidae, 389
 and remote sensing, 261
 and resistance, 295-96, 298
 Modeling
 and *Delia*, 124
 and *Heliothis*, 36, 68
Monodontomerus montivagus, 172
 Mosquitoes
 and guilds, 432
 and oviposition, 401-21
 and remote sensing, 259, 263
Musca domestica, 488
 Mushroom body, 483, 486
 Mycoplasma, 503
Myzus persicae, 219

N

Nabucula
 flavomarginata, 390
 limbata, 387, 390
 lineata, 388
 propinqua, 388
 subcoleoptrata, 393
 vanduzeei, 385
 Nabidae, 383-400
Nabis, 57
 alternatus, 386, 389-90
 americanoferus, 62, 386, 388-89, 392-93
 brevis, 386-88
 capsiformis, 56, 385-90
 ferus, 386-88, 392
 roseipennis, 386, 389

sinoferus, 56
 tasmanicus, 392
Nabisius
 duplicisetus, 389
 Natural enemies
 of carpenter bees, 171-74
 of *Heliothis*, 30, 53-75
 of *Nezara viridula*, 283-84
 and pesticides, 19
 propagation and release, 60-65
 and resistance, 295-96
 Natural selection and learning, 339
 Navigation and learning, 319
 Nectar
 and carpenter bees, 169-70
 collection and learning, 324-25, 329, 331, 336-37, 339
Neivamyrmex nigrescens, 201
 Nematodes
 and *Delia*, 126-27, 129
 and *Heliothis*, 56
 and insecticides, 459, 462-63
 and Nabidae, 389
Nemeritis, 322
Neochetina
 bruchii, 543
 eichhorniae, 543
Nephotettix, 510
 cincticeps, 516, 519020
 virescens, 507
 Nervous system
 and carbon dioxide, 103
 and learning, 332-33
 Nesting behavior of carpenter bees, 164-68, 176
 Neuroendocrine system, 90
 Neurohormones, 80
 Neurons, 477-501
 Neuropeptides, 486
 Neurosecretion and carbon dioxide, 108
 Neurosecretory neurons, 80
 Neurotoxic actions of pyrethroids, 77-96
 Neurotransmission, 80, 85-86, 90
Nezara viridula, 273-92
Nilaparvata lugens, 262, 460, 517-19
Nomurea rileyi, 57, 64-65
 Nonpersistent plant viruses, 5-4
Nosema heliothisi, 57
Novomessor
 albisetosus, 203
 nigrescens, 204
 Nuclear polyhedrosis viruses
 64-65, 69, 352-67

O

- Oberia erythrocephala*, 547
- Occlusion bodies, 353, 367
- Ocymyrmex*, 192
- Odontomachus*, 194
- Odor quality coding, 488, 492
- Odors and scabies, 11143-45
- Oilseed entomology, 211
- Olfactory
 - learning, 495
 - orientation, 411-13
 - receptors, 480, 483, 485
- Oocyte development, 106
- Ophiomyia lantanae*, 546
- Organophosphates, biodegradation of, 460-64
- Orientation and carbon dioxide, 100
- Orius*, 57-58
 - insidiosus*, 57
- Oscinella*, 538
- Ovarian
 - development, 402
 - maturation, 108
- Oviposition
 - and carbon dioxide, 99, 105, 107
 - by *Heliothis*, 21-23, 30
 - and learning, 318-21, 324-26, 328-29, 331, 334, 337-38, 340
 - by mosquitoes, 401-21
 - by *Nezara viridula*, 276-80
- Oxygen consumption of ants, 198

P

- Pachycondyla*
 - apicalis*, 201
 - laevigata*, 192, 201
- Pagasa*, 392
 - fusca*, 387
- Palexorista*, 57
 - laxa*, 62
- Panonychus ulmi*, 261
- Papilio*
 - deipilis*, 234
 - sarpedon*, 234
- Paralipsa exacta*, 172
- Parasites
 - and guilds, 443
 - of Nabidae, 388-90
 - of oilseed pests, 221
- Parasitoids
 - and learning, 330, 339
 - of *Nezara viridula*, 283
- Parathion, 461, 463, 465-66, 468
- Pareuchaetes pseudoinsulata*, 546

- Pathophysiology of scabies infestations, 149-51
- Paulinia acuminata*, 546
- Pectinophora gossypiella*, 296
- Pemphigus bursarius*, 461
- Peptides and baculovirus vectors, 359
- Peregrinus*
 - maidis*, 503, 516-18, 521-22
 - brassicacae*, 214
- Periplaneta americana*, 80, 478, 484-86, 489-90, 493
- Permethrin, 77, 79, 83, 86, 415
- Persectania ewingii*, 257
- Persistent plant viruses, 504
- Pesticides
 - and *Delia*, 124
 - and *Heliothis*, 19, 42-43
 - and natural enemies, 19
 - resistance to, 42-43, 293-313
- Pheidole*, 57
 - dentata*, 203
 - militicida*, 200
- Pheromones
 - and ants, 199-200
 - and armyworm, 222
 - and carpenter bees, 169, 175-79
 - and deutocerebrum, 486, 488-89, 493
 - and *Heliothis*, 22, 29
 - and learning, 318-19
 - and *Microplitis*, 63
 - and mosquitoes, 408-10
 - of *Nezara viridula*, 280
 - receptors, 480, 483, 493
 - and remote sensing, 250
 - and sensilla, 485, 492
- Phorbia*, see *Delia*
- Phoresy, 173
- Phormia*, 336
- Phorticus brevipennis*, 386
- Phosphorylation, 362
- Photoperiod and *Nezara viridula*, 277, 279
- Photoperiodism, 107
- Photostability, 77
- Phyllotreta*, 130, 216, 218, 222
 - chrysocephala*, 221
 - cruciferae*, 213-14
 - striolata*, 214
 - undulata*, 214
- Physocephala*, 172-73
- Phytochemicals and mosquitoes, 414
- Phytomyza*
 - atricornis*, 214
 - horticola*, 214
- Pieris*, 319-20, 324, 329, 331, 337
- Pink bollworm, 296, 302
- Planococcus citri*, 261

Plani

- populations and herbivores, 531-64
- viruses, 503-30
- Planthoppers
 - and insecticides, 458, 460-61, 471
 - and plant dynamics, 551
 - and plant viruses, 503-30
 - and remote sensing, 258, 262
- Plodia interpunctella*, 105
- Plutella xylostella*, 213-14
- Podisus*, 57
 - maculiventris*, 62
- Pogonomyrmex*
 - badius*, 195
 - barbatus*, 197-98, 200
 - californicus*, 197
 - maricopa*, 200
 - occidentalis*, 195-97, 199
 - owyei*, 193
 - rugosus*, 197-98, 200, 204
- Polistes antennalis*, 62
- Follen
 - and carpenter bees, 170
 - and *Heliothis*, 24
- Pollination
 - and carpenter bees, 183-85
 - and carbon dioxide, 101
 - and herbivory, 534
- Polochrum*, 172
- Polyethism of ants, 202-4
- Polyhedrin, 353-59, 366-67
- Polymorphism of ants, 195-97
- Polynema*
 - boreum*, 390
 - gracile*, 390
- Population dynamics of
 - Heliothis*, 29-37
- Predators
 - of Nabidae, 390
 - of oilseed pests, 221
- Preference and learning, 321
- Prionus*, 261
- Propagative plant viruses, 504-5, 514-20
- Prostemma*, 392
- Protease inhibitor, 375
- Protocerebrum, 479-80, 482, 486-88, 492
- Proxyclopa oliviera*, 179
- Pseudatomoscelis seriatus*, 59
- Pseudococcus fragilis*, 11
- Psila rosae*, 457
- Psorophora*, 403
 - columbiae*, 407
 - howardii*, 407
- Psyllids and plant dynamics, 538
- Psylliodes chrysocephala*, 214, 216
- Puliciphora*, 318

Pyrethroids, 42, 59-60, 65, 77-96, 255, 298
Pyrgus, 238
Pyrrhalla, 539
Pyrrhocoris apterus, 107

Q

Quarantine, 3

R

Radar and remote sensing, 252-55, 257

Recelia dorsalis, 503, 510

Receptors for carbon dioxide, 101-2

Recombinant DNA, 354
 viruses, 354-67

Recruitment systems, 194

Remote sensing, 247-71

Reoviruses, 518-21, 523

Reproduction and carbon dioxide, 106-7

Reproductive isolation, 238

Resistance
 to carbon dioxide, 107
 and genetic engineering, 377
 of *Heliothis*, 19
 of host plants, 43
 to pesticides, 42-43, 53, 293-313

Resmethrin, 77, 79, 85

Resource partitioning, 417, 433

Respiration and carbon dioxide, 104

Rhabdoviruses, 515-17, 522

Rhagoletis, 320, 338, 340
pomonella, 318, 334

Rhagoletia, 387

Rhinocyllus conicus, 536, 544, 555

Rhodnius prolixus, 80

Rhodogastria, 480

Rhopalosiphum maidis, 261

Ribautodelphax notabilis, 517

Riley, Charles Valentine, 2-4, 8

RNA
 and gene splicing, 364
 of plant viruses, 514-15, 517-18

Rodolia cardinalis, 1-16

S

Sabethes, 403

Salinity and oviposition, 413-14

Salivary glands and plant viruses, 512, 514, 516-20

Sameodes albigitalis, 543

Sarcoptes scabiei, 139-61

Satellites and remote sensing, 251, 259-60, 262-63

Scabies, 139-61

Scale insects and plant dynamics, 541

Schistocerca, 319-20, 326
gregaria, 256-57, 262, 479

Scorpion venom, 83

Scymnus, 57

Search pattern of ants, 199-202

Seeds and herbivory, 537-38

Semipersistent plant viruses, 504

Sennertia, 172

Sensilla
 and the deutocerebrum, 483
 of mosquitoes, 411-12

Sensitization and learning, 321-26, 328

Sigma virus, 108-9

Simulation modeling, 439

Sinigrin, 218-19, 324, 328

Sitaris, 172

Sitophilus orizae, 107

Sociality in carpenter bees, 181-84

Sodium channels, 80-86, 89-90

Sogatella furcifera, 519

Soil and biodegradation, 453-76

Solenopsis
geminata, 198
invicta, 283-84

Sooty mold and remote sensing, 261

Sound and carpenter bees, 185

Southern green stink bug, 273-92

Soybeans
 and Nabidae, 385, 393
 and *Nezara viridula*, 278, 280-1, 283, 285
 and resistance, 302

Spider mites, 391

Spiders
 and guilds, 436, 442
 and *Heliothis*, 58
 and mating, 236
 and Nabidae, 390, 393
 and *Nezara viridula*, 283-84
 and oilseed pests, 221

Spiracles and carbon dioxide, 103-4

Spiroplasmas, 503

Spodoptera, 323
eridania, 327
exempta, 21, 257, 263
frugiperda, 360, 362, 365
littoralis, 297
litura, 367

Spruce budworm, 533-34, 542

Staticobium staticis, 535

Sterile-male release
 for *Delia* control, 129-30
 and remote sensing, 263

Stink bugs, 273-92

Stridulation by *Nezara viridula*, 282

Strophingia, 552

Strumigenys, 194

Suboesophageal ganglion, 479, 482, 484, 487

Supernumerary instars, 106

Sympatry and guilds, 433

Synaptic transmission, 80

Synhoria, 172

Synthetic diets for *Nezara viridula*, 276

T

Telenomus, 56, 390

Teleonemia
elata, 546
scrupulosa, 543

Tenuiviruses, 517, 522

Termites
 and carbon dioxide, 99
 and carpenter bees, 172

Territoriality
 of ants, 200
 of carpenter bees, 164, 171, 174-77

Tetramethrin, 77, 80, 82-83

TEXCIM, 68

Thermoregulation of carpenter bees, 170-71

Thermotaxis and scabies, 144-45

Thiodicarb, 60

Tortonia, 172

Toxaphene, 60

Toxorhynchites, 403
splendens, 414

Trail systems of ants, 199-200, 204

Tralomethrin, 80

Transmission of plant viruses, 506-7

Transovarial transmission of plant viruses, 505, 517, 519-20, 522-23

Trap cropping
 of *Heliothis*, 41, 44
 and *Meligethes*, 222
 and *Nezara viridula*, 285

Traps
 and carbon dioxide, 100
 for *Delia*, 122-23

Trialeurodes vaporariorum, 459

Tribolium castaneum, 106-8

Trichilogaster acaciaelongifoliae, 545

572 SUBJECT INDEX

- Trichogramma*, 32, 56, 62, 68-69
 confusum, 61
 dendrolimi, 61
 pretiosum, 61, 63-64
Trichopoda
 pennipes, 281, 283
 pilipes, 283
Trigonophenus xylocopae, 172
Trissolcus basalis, 283
Trogoderma, 172
Trophallaxis, 183
 Trypsin inhibitor, 375, 377
 Tsetse flies
 and carbon dioxide, 100
 and remote sensing, 258
Typhlocyba, 236
Typhlodromus occidentalis, 296
Tyria jacobaeae, 536, 546
- U
- Ultraviolet light and microbial agents, 65, 125
Urophora
 affinis, 543
 cardui, 546
Uroplata girardi, 543
- V
- Vairimorpha necatrix*, 57
 Vector
 mosquitoes, 404
 specificity for plant viruses, 516
- Vedalia beetle, 1-16
 Veratridine, 83-84
Veromessor pergandei, 195, 201, 204
 Vesicular stomatitis virus, 109
 Villa, 172
 Viral
 genes, 351-72
 insecticides, 352, 366
 Virus helper components, 510
 Vitellogenesis, 107
 Vitellogenin, 364
 Vitula serentiella, 172
 Vogtia malloi, 543
- W
- Walsh, Benjamin, 2
 Water loss and carbon dioxide, 104
 Weed control, 542
 Wesmaelia pendula, 390
 Whiteflies
 and plant dynamics, 541
 and plant viruses, 512-13
 and remote sensing, 261
 Wing polymorphism
 in Nabidae, 386-87
 and plant viruses, 518-19
 Wyeomyia, 403
 vanduzeei, 415
- X
- Xylocopa*, 163-90
 caffra, 179
 californica, 166, 171
- capitata*, 170-71
 combusta, 182
 confusa, 166
 darwini, 168
 fimbriata, 167, 177, 179
 flavocincta, 164
 flavorufa, 179
 frontalis, 175, 182
 griseus, 182
 gualanensis, 166, 168, 177
 hirsutissima, 175, 177
 imitator, 170, 179
 inconstans, 164
 iris, 166-67, 179-80
 latipes, 166
 micans, 179-80
 micheneri, 177-78
 mordax, 169
 pubescens, 164, 166, 169-71, 178-85
 senior, 164
 sonorina, 166, 168-69, 182
 sulcatipes, 165, 167-71, 173, 176-82
 suspecta, 182
 tabaniformis, 168
 torrida, 179
 traquebarica, 166
 valga, 166, 180
 varipuncta, 171, 177
 violacea, 166-67
 virginica, 164, 166, 169, 179-80, 182
- Z
- Zeze*, 56
 Zeuxidiplosis giardi, 543

